



HEATHROW TERMINAL 5: AN I.T. INFRASTRUCTURE SUCCESS STORY

Enough optical fibre to go right round the equator, 4,000 kilometres of copper data cabling, 4,000 patch panels and 55,000 outlets spread over a site the size of more than 280 football pitches; Heathrow Terminal 5 is one of the largest airport building projects of our time – doubling the size and capacity of Heathrow and due to make it the world's busiest airport by 2011.

And despite the operational problems, lost baggage and delays during the terminal's first weeks, the technology infrastructure worked perfectly from day one. It was designed for 24x7x365 fault-free operation.

CASE STUDY

HEATHROW TERMINAL 5: AN I.T. INFRASTRUCTURE SUCCESS STORY

When Heathrow's new Terminal 5 opened amid delays and baggage performance issues reported worldwide on TV news, the description: "One of the most remarkable engineering stories of the 21st century, with innovative engineering and IT solutions at the very forefront of the achievement." would probably not have come immediately to mind.

Well, perhaps not. But these are the words of Dervilla Mitchell, head of design management at Heathrow T5 and director of Arup, the global design and business consulting firm. Despite the briefly notorious problems T5 experienced at the very beginning – which it needs to be said had nothing to do with the technology infrastructure – the comment is now actually perfectly reasonable.

Now that T5 is working well – which means of course it has disappeared off the front pages and TV screens – it is possible to see what an extraordinary project it is, and at the heart of it all is the massive technology infrastructure, which has worked perfectly from Day One.

Fundamental to that infrastructure is the structured cabling infrastructure and the networking & IT systems that are dependent on it. BAA called on their infrastructure provider Virgin Media (formerly NTL:Telewest), to design and implement the infrastructure which required a huge range of enterprise networking applications, based on copper and fibre connectivity solutions, to be deployed at T5. According to Virgin's programme leader Kevin McLoughlin, ADC KRONE was the best solution for this critical role and they duly recommended it to BAA for use throughout the project.



CASE STUDY

The result is now up and running:

ADC KRONE's total networking solution, based on its TrueNet® structured cabling system, combines copper and fibre connectivity with best of breed cable management products. It facilitates a range of data and voice applications, covering everything from supplying the data for passenger information displays, check-in desk computer systems and baggage handling security, through to point-of-sale units at the terminal's planned extensive retail and hospitality outlets.



"We selected ADC KRONE because it is a global company and has experience in providing robust solutions for data intensive, mission critical environments where any downtime can be disastrous," said BAA's Kevin Fallon. "The complexity of building T5 meant it was essential to have an end-to-end data and voice solution from one company that could respond quickly to our needs and had the technical resources to match our 24x7x365 operational needs."

"T5 has been a huge but exciting challenge for us," said Nick Norris, UK and Ireland sales director for ADC KRONE. "The new T5 building alone is big enough to fit around fifty football pitches across its five floors, demonstrating the enormity of the task we faced. But working closely with Virgin Media and BAA, we have succeeded in providing what we consider are the best performance solutions available in the marketplace, which will guarantee a first rate service to the millions of staff and passengers who will work at and pass through the terminal in the future. And add to that, the fact that the TrueNet® Solution, uniquely, guarantees performance with zero bit errors from any port to any port for a full 20 years then you can see that we have delivered a comprehensive, robust and future proofed infrastructure that will be the bedrock of T5's communications for decades to come."

Heathrow Terminal 5 is not the first time that ADC KRONE and Virgin Media have developed the design and specification of the cabling system for

a prestigious airport terminal, having successfully worked together during the building of Hong Kong's famous new airport. Both companies feel this experience was extremely valuable in helping them to create the right cabling solutions for T5.

The complexity of the T5 programme is staggering. Virgin Media, one of three first tier system suppliers to BAA, headed the Systems Project, which included many applications such as Fire, BCMS and Systems Integration – but especially communications and security throughout the terminal. The Communications and Security Project itself divided into 15 sub projects, and had a total budget of almost £100m (\$205m). Massive though it was, the T5 Systems Project was just one of 18 major projects involved in building the terminal!

The statistics relating to T5 are equally impressive. When fully completed in 2010, it will enable Heathrow to accommodate 90 million passengers annually, cementing the airport's position as the world's busiest international airport. T5's total cost is put at £4.3bn (\$8.8bn).



Construction started in summer 2002 – following the longest planning inquiry in British planning history! T5 is far more than a single building. Apart from the main building T5A, it also comprises T5B, a satellite providing additional capacity and pier-served aircraft stands, and T5C, a second satellite building due to open in 2010. All three are linked underground by a Tracked Transit System (TTS), where driverless trains shuttle passengers to their gates. Other elements of the project include a six platform railway station underneath the main terminal, extensions to the London Underground Piccadilly Line and Heathrow Express, a spur road linking T5 to the M25 motorway, a new 87 metre tall air traffic control tower, and 60 aircraft stands.

The size of the entire site, 260 hectares, is equivalent to some 280 football pitches. The Airside Road Tunnel is 1.3 km long, making it the UK's seventh longest road tunnel. The steel used in the roof weighs 17,000 tonnes, while that in the internal structure, at 25,000 tonnes, is equal in weight to 148 Boeing 747s.

For passengers, there are 96 self service kiosks, over 90 fast bag drops, 54 standard check-in desks, and 11 baggage reclaim belts that travel a distance of 17 km and can process 12,000 bags an hour. Some 1,700 miles of electric power cable have been used, with 20,000 13 amp sockets installed.

ADC KRONE itself has some equally impressive statistics for the structured cabling infrastructure: it has supplied more than 700 kilometres of fibre cable, mostly singlemode but also some multimode OM2. The fibre comprises a number of core counts, both internal and external, and if you add up the total equivalent of single core fibre installed at T5, it reaches the staggering figure of 42,000 kilometres (slightly longer than the distance around the equator!). 3,500 fibre patch panels were needed to interconnect the fibre backbone. 40 percent of the outlets for the project were supplied from the Australian Berkeley Vale production facility.

In terms of copper cabling, ADC KRONE has supplied and implemented some 3,500 km of Category 6 UTP; 250 kilometres of Category 6 S/STP shielded cable for T5's baggage handling system; and 270 kilometres of multi-core Category 3 and Category 5e – here the equivalent length of single pair cable would be around 14,000 km. Also installed are more than 55,000 Category 6 jacks, 3,500 fibre patch panels, 80,000 fibre pigtailed, and 4,000 Category 6 copper patch panels.

CASE STUDY




Figure 1

The external fibre is ADC KRONE's steel wire armoured cable, and this has already proved its worth. Following the recent emergency landing involving flight BA03 at Heathrow, the plane impacted airfield services. The only service still running after the event was that carried by the armoured fibre cable supplied by ADC KRONE.

All this infrastructure supports functions such as a 1,500 camera CCTV system, 1,100 secure access control points, a wireless LAN with 750 access points, and 2,800 telephones based on a hybrid architecture of analogue, digital and IP telephony.

The above makes it clear why T5 is one of the largest projects of its kind that ADC KRONE has undertaken. ADC KRONE's cabling infrastructure supports virtually all the systems shown in Figure 1, even the radio and cellular are fed by the TrueNet® fibre backbone.

The application areas listed under *Buildings* in Figure 1 all use ADC KRONE's fibre backbone and copper horizontal Category 6 cabling: LAN and wireless LAN (WLAN), voice, CCTV, access control system (ACS), and Security Search; while TV uses just the fibre backbone. The other three areas, Building Systems Integration (BSI), Airport Operational Systems (AOS) and Displays, covering flight information and baggage, also use the TrueNet® cabling infrastructure.

Within the T5 project, *Buildings* relates to all three terminals (T5A/B/C). T5C is currently under construction and will open in 2010 providing additional passenger capacity and pier-served aircraft stands.

On the *Landside* area is the multi-storey car park, an energy centre, and several small ancillary buildings. The *Aprons* section concerns the clearing stands, areas around the buildings where planes park up for people to disembark and go into the buildings. All these stands have been provided with cabling infrastructure as well, to provide the same networking and communications facilities.

Additional systems supported include pre-conditioned air, a new technique for cooling the air on-board the plane as passengers board. Previously, this was done using the plane's engines, but the new systems now pump cooled air into the plane. Also supported are: lighting control, building control and building management systems – things like fan coolers and air handling units; metering, to show how much power and light is being used; digital media of various kinds other than the TV; and a network clock, which ensures all the terminal's clocks are on time.

Planning and installing the cabling and other infrastructure elements for all the systems described so far, and then getting them to work together, might sound challenging enough, but an equally



Kevin McLoughlin, Virgin Media's programme leader

demanding task related to the right hand side of Figure 1, titled ART (for Airside Road Tunnel) and HAL (Heathrow Airport Limited) integration.

Integration is the key word. T5 is providing increased capacity for Heathrow and for that to work effectively it was crucial that all existing systems were seamlessly integrated with the new ones being created for T5. And even though many of the functional systems being put into T5 were already in place elsewhere in the airport, frequently the hardware, software and infrastructure supporting the new and the existing ones were different.

Integration was particularly important for applications like CCTV and SCADA (supervisory control and data acquisition), which had to be viewable across both sides of the boundary. Airport staff have to be able to use these systems to monitor and control operations from the airport's central control centre. Achieving this in an effective, seamless way represented a huge challenge.

The second element of ART and HAL integration, *IT* (see Figure 1), was equally, if not even more, challenging. There are about 300 different software applications that BAA uses, which had to be implemented into T5, while *AOSU* (airside operational safety unit) is an operational centre, essential for the airfield area because it monitors the comings and goings for all non air traffic on the runways – anything from maintenance crews to construction and bird scarers. Again, all this is dependant on the structured cabling, either fibre or copper backbone, or the internal, horizontal Category 6 cabling.

To achieve the required integration, it was first necessary to establish the physical layer of the network, in terms of the fibre and copper, and ensure it was sufficiently resilient and diverse. Once that was in place, the core systems for the networks could be laid on top of the cabling. Then it was a case of checking the required connections worked well, and after that, ensuring people could actually view traffic from either end and control it.

Reflecting on the whole project shows how difficult it can be to accurately assess at the beginning exactly what is going to be involved, as Virgin Media's Kevin McLoughlin, programme leader, explains.

"For example, when we were going through the design stage, we had a huge increase in the number of Category 6 horizontal outlets that we had to provide. We started out originally with a requirement for around 12,000 across the airport, but by the time we finished our production design, and started the actual implementation of the project, that figure had increased to 55,000."

Unpredictability is exactly what happened when T5 first opened too. But as McLoughlin says, the teething problems were nothing to do with the technology infrastructure.

"Although it is true there were very unfortunate operational problems at the opening of T5, from the Systems side, opening day was a success story. Our IT systems and infrastructure were fully stable, as they had been for some time, and they performed as needed, to fulfil the user requirements. We were happy! BAA were happy with the IT systems and now that it's fully operational, T5 is acclaimed as a major success story."

ADC KRONE Australia was proud to manufacture the KM8 Outlets used in Heathrow Airport's T5 project.



About ADC KRONE

ADC serves its customers as ADC KRONE in the Europe/Middle East/Africa and Asia Pacific regions of the world. ADC KRONE provides the network infrastructure equipment and services needed to deliver voice, video, Internet and data communications around the world. Wireline, wireless, cable, enterprise, and broadcast network operators rely on ADC offerings to deliver bandwidth intensive, high-speed services to residential, business and mobile subscribers. ADC (NASDAQ: ADCT) has sales into more than 130 countries.

Learn more about ADC KRONE at www.adckrone.com/au

CASE STUDY



CASE STUDY



KRONE



www.adckrone.com/au

AUSTRALIA 2 Hereford Street, Berkeley Vale NSW 2261
Mailing Address: PO Box 335, Wyong NSW 2259, Australia
Sales Support: 1800 801 298

www.adckrone.com/nz

NEW ZEALAND 2 Nevis Street, Petone, Wellington
Mailing Address: PO Box 38-177, Wellington Mail Centre 6008, New Zealand
Sales Support: 0800 657 663

ADC Telecommunications, Inc., P.O. Box 1101, Minneapolis, Minnesota USA 55440-1101

Specifications published here are current as of the date of publication of this document. Because we are continuously improving our products, ADC reserves the right to change specifications without prior notice. At any time, you may verify product specifications by contacting our headquarters office in Minneapolis. ADC Telecommunications, Inc. views its patent portfolio as an important corporate asset and vigorously enforces its patents. Products or features contained herein may be covered by one or more U.S. or foreign patents. An Equal Opportunity Employer

401323AU 07/09 © 2009 ADC Telecommunications, Inc. All Rights Reserved