

# Outdoor Connector Type OCK

Issue 3



The connector is primarily used for neutral connection, but can be used for any outdoor cable connection application.

### Features:

- Will mount on our existing brackets adjoining the switch, adjacent to the mounting pole
- The base moulding is strapped to the bracket with the cable tie supplied

### Specifications

Base & Lid ..... Black glass reinforced polyamide, UV stabilised  
 Pillar Terminal ..... Aluminium alloy  
 Conductor:  
 Min: ..... 25mm<sup>2</sup>  
 ..... 5.8mm dia  
 Max: ..... 185mm<sup>2</sup>  
 Insulation Strip length: ..... 38mm  
 Tightening Torque: ..... 18Nm

In accordance with tests and requirements of IEC947-3:

Rated operational voltage, U<sub>e</sub>: ..... 450V  
 Rated Insulation Voltage, U<sub>i</sub>: ..... 1000V  
 Rated impulse withstand voltage, U<sub>imp</sub>: ..... 12kV  
 Rated current, I<sub>n</sub>: ..... >630A  
 Degree of protection: ..... IP24

### Ordering Information

| Description                | Quantity | Colour | Product No.   |
|----------------------------|----------|--------|---------------|
| Outdoor Connector Type OCK | Bag of 1 | Black  | 6459 1 123-XX |

[adckrone.com/au](http://adckrone.com/au) • 1800 801 298 • [helpdesk.au@adckrone.com](mailto:helpdesk.au@adckrone.com)



ADC Telecommunications, Inc., P.O. Box 1101, Minneapolis, Minnesota USA 55440-1101  
 Specifications published here are current as of the date of publication of this document. Because we are continuously improving our products, ADC reserves the right to change specifications without prior notice. At any time, you may verify product specifications by contacting our headquarters office in Minneapolis. ADC Telecommunications, Inc. views its patent portfolio as an important corporate asset and vigorously enforces its patents. Products or features contained herein may be covered by one or more U.S. or foreign patents. An Equal Opportunity Employer

6459 1 123-XX / Issue 3 © 2009 ADC Telecommunications, Inc. All Rights Reserved.

SPEC SHEET